



## SIGNORIA 7100

 FULLY  
MADE IN ITALY

COMPOSITION: \_\_\_\_\_ 90%CO 10%PL  
HAIR: \_\_\_\_\_ 100%CO  
WIDTH: \_\_\_\_\_ 140 cm  
WEIGHT: \_\_\_\_\_ 680 gr/mtl

USE:   
CARE:   
IRON ON REVERSE

ABRASION RESISTANCE MARTINDALE END POINT: \_\_\_\_\_ >50.000 rubs  
UNI EN ISO 12947-2:2000 12 kPa

COLOUR FASTNESS TO LIGHT: \_\_\_\_\_ 5  
UNI EN ISO 105-B02

COLOUR FASTNESS TO CROKING: \_\_\_\_\_ dry 5 wet 4/5  
UNI EN ISO 105-X12

TEARING STRENGTH: \_\_\_\_\_ warp 16,6N weft 23,7N  
Single tear method (wing shaped method)  
UNI EN ISO 13937-3:2002

CHARACTERISTICS: cotton velvet - piece dyed - plain  
MINIMUM ORDER QUANTITY: \_\_\_\_\_ 1 mt  
CUSTOMISED COLOUR: \_\_\_\_\_ 80 mt

### FLAMEPROOF TESTS

**USA** TB 117:2013 California test  
**GB** BS5852-1:1979 Cigarette using filling material  
PU non FR (20-22 Kg/m<sup>3</sup>) SS20  
**EN** EN 1021-1:2006 Cigarette using filling material  
PU FR HR30S (30-33 K/m<sup>3</sup>)

All intellectual property rights in our design and in innovative structure yarn and finishing are and will remain the property of Decobel Srl, any infringement of this rights will be pursued vigorously.